

UPVC PIPES & FITTINGS

star uPVC plumbing system is a LEAD FREE solvent weld system designed for distribution of potable water. The system is technically superior and offers many advantages over conventional G.I piping system. It is easy to install and offers a long service life. It can be used for the distribution of water in residential, commercial and large industrial complexes. Fitting are made as per ASTM-D 2466 FOR SCH40 & ASTM-D 2467 SCH 80



Tee



Size in MM	inch
15 mm	1/2
20 mm	3/4
25 mm	1
32 mm	1 1/4
40 mm	1 1/2
50 mm	2
65 mm	2 1/2
80 mm	3
100 mm	4

Reducing Tee



Size in MM	inch	Size in MM	inch
20x15	3/4x1/2	40x20	1 1/2x3/4
25x15	1x1/2	40x25	1 1/2x1
25x20	1x3/4	40x32	1 1/2x1 1/4
32x15	1 1/4x1/2	50x20	2x3/4
32x20	1 1/4x3/4	50x25	2x1
32x25	1 1/4x1	50x32	2x1 1/4
40x15	1 1/2x1/2	50x40	2x1 1/2

Brass Threaded Tee



Size in MM	inch
15	1/2
20	3/4
25	1
20x15	3/4x1/2
25x15	1x1/2
25x20	1x3/4
25x25	1x1

Reducing Coupler



Size in MM	inch
20x15	3/4x1/2
25x15	1x1/2
25x20	1x3/4
32x20	1 1/4x3/4
32x25	1 1/4x1
40x20	1 1/2x3/4
40x25	1 1/2x1
40x32	1 1/2x1 1/4
50x15	2x1/2
50x20	2x3/4
50x25	2x1
50x32	2x1 1/4
50x40	2x1 1/2

Size in MM	inch
20X15	3/4x1/2
25X15	1x1/2
25X20	1x3/4
32X20	1 1/4x3/4
32X25	1 1/4x1
40X25	1 1/2x1
40X32	1 1/2x1 1/4
50X32	2x1 1/4
50X40	2x1 1/2

Reducing elbow 90°



Reducing Bush



Size in MM	inch
25x15	1x1/2
25x20	1x3/4
32x20	1 1/4x3/4
32x25	1 1/4x1
40x15	1 1/2x1/2
40x25	1 1/2x1
40x32	1 1/2x1 1/4
50x25	2x1
50x32	2x1 1/4
50x40	2x1 1/2
65x50	2 1/2x2
80x50	3x2
80x65	3x2 1/2
100x50	4x2
100x65	4x2 1/2
100x80	4x3

Elbow 90°



Size in MM	inch
15 mm	1/2
20 mm	3/4
25 mm	1
32 mm	1 1/4
40 mm	1 1/2
50 mm	2
65 mm	2 1/2
80 mm	3
100 mm	4

Size in MM	inch
15 mm	1/2
20 mm	3/4
25 mm	1
32 mm	1 1/4
40 mm	1 1/2
50 mm	2

End Cap



Elbow 45°



Size in MM	inch
15 mm	1/2
20 mm	3/4
25 mm	1
32 mm	1 1/4
40 mm	1 1/2
50 mm	2
65 mm	2 1/2
80 mm	3
100 mm	4

Size in MM	inch
15 mm	1/2
20 mm	3/4
25 mm	1
32 mm	1 1/4
40 mm	1 1/2
50 mm	2

FTA UPVC



Coupler



Size in MM	inch
15 mm	1/2
20 mm	3/4
25 mm	1
32 mm	1 1/4
40 mm	1 1/2
50 mm	2
65 mm	2 1/2
80 mm	3
100 mm	4

Reducing brass threaded elbow



Size in MM	inch
15 mm	1/2
20 mm	3/4
25 mm	1
20X15	3/4x1/2
25X15	1x1/2
25X20	1x3/4
25x25	1x1

Size in MM	inch
15 mm	1/2
20 mm	3/4
25 mm	1
32 mm	1 1/4
40 mm	1 1/2
50 mm	2

MTA UPVC



Size in MM	inch
15 mm	1/2
20 mm	3/4
25 mm	1
32 mm	1 1/4
40 mm	1 1/2
50 mm	2

Union





Brass Threaded
FTA



Size in MM	inch
15 mm	1/2
20 mm	3/4
25 mm	1
20x15	3/4x1/2
25x15	1x1/2
25x20	1x3/4
25x25	1x1
32x32	1 1/4x1 1/4
40x40	1 1/2x1 1/2
50x50	2x2
65x65	2 1/2x2 1/2
80x80	3x3
100x100	4x4

Brass Threaded
MTA



Size in MM	inch
15 mm	1/2
20 mm	3/4
25 mm	1
20x15	3/4x1/2
25x15	1x1/2
25x20	1x3/4
25x25	1x1
32x32	1 1/4x1 1/4
40x40	1 1/2x1 1/2
50x50	2x2
65x65	2 1/2x2 1/2
80x80	3x3
100x100	4x4

UPVC Ball Valve



Size in MM	inch
15 mm	1/2
20 mm	3/4
25 mm	1
32 mm	1 1/4
40 mm	1 1/2

Star Brass
Ball Valve



Size in MM	inch
20 mm	3/4
25 mm	1
32 mm	1 1/4
40 mm	1 1/2

